




Bearing Rolamentos do Brasil Ltda.



INA NKS24 needle roller bearings

Bearing No. NKS24

Size	24x37x20 mm
Bore Diameter	24 mm
Outer Diameter	37 mm
Width	20 mm
F_w	24 mm
D	37 mm
C	20 mm
r_{min}	0,6 mm
m	65,5 g / Weight
C_r	29500 N / Dynamic load rating (radial)
C_{Or}	31000 N / Static load rating (radial)
C_{ur}	5400 N / Fatigue limit load, radial
n_G	17200 1/min / Limiting speed
n_B	9100 1/min / Reference speed
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.07
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer

NKS24 Bearing 2D drawings and 3D CAD models



Bearing Rolamentos do Brasil Ltda.

	Ring - No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch - Metric	Metric
Relubricatable	Yes
Thrust Bearing	No
Long Description	24MM Bore; 37MM Outside Diameter; 20MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; N
Other Features	2 Rib Outer Ring Radial Precision Bearing Steel Cage Heavy Duty Ground Raceway with Rib Oil Hole
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	NKS24
Weight / LBS	0.144
Outside Diameter	1.457 Inch 37 Millimeter
Bore	0.945 Inch 24 Millimeter
Width	0.787 Inch 20 Millimeter



Bearing Rolamentos do Brasil Ltda.